Product technical sheet



FOLD 1513 and GIG1513
available with up and down system

FOLD ©®

Design: Cristian Li Voi

Typology: Ceiling lamp, wall lamp, hanging lamp, ceiling track, floor lamp

Product code: AP1511.1L, APGIG1511.1L, 1516.1L, GIG1516.1L, 1513.1L, GIG1513.1L, 1517.120.3L, LUGIG1515.1L

Products details:
EUIPO's registered community design.
Additional compositions on demand.
Metal structure available: chrome, matt black.
Black rubber electric cable.
Aluminum lamp holder.
Lower part in sanded glass.
Ceiling track: stainless polished steel.
Products GIG in Fume color: 10% surcharge on the price of the coloured.
Available Up and down system: Canopy equipped with cable reel up&down inside mechanism.
Compatible with CASAMBI
Driver included.
Dimmable: yes (phase-cut dimmer triac) - LED is replaceable by professional.
On demand: with UL components.
On demand: available with DALI.
Lumen indicated corresponds to the luminous intensity at the origin of the led light board.

LED available for FOLD wall lamp:
LED 12,8W Dimmer Triac - 1615 Lm - 126 Lm/W - IP20 - CC 350mA - CRI Typ.95 - 32-40V - 180° - 2700°K o/or 3000°K

LED available for FOLD suspension, tracks, ceiling lamps, floor lamp:
LED 17,4W Dimmer Triac - 2370 Lm - 134,3 Lm/W - IP20 - CC 500mA - CRI Typ.95 - 32-40V - 180° - 2700°K o/or 3000°K

Glass colours:
01 - Transparent
03 - Pink
05 - Amber
06 - Green
07 - Sky-blue
08 - Fume
16 - Tobacco
17 - Ruby

Metal structure:
Black
Crome
Pearl gold (on demand)

Cangini e Tucci SRL | Via Archimede 36, Cesena (FC) 47521, Italia | Tel. +39 0547.303035 | info@canginietucci.com | www.canginietucci.com



AP1511.1L

Wall lamp

Glass Ø24 cm - P11 cm - H24 cm

LED 1 x 12,8W DIMM - 350mA - 2700 or 3000°K

CE IP20 1m



APGIG1511.1L

Wall lamp

Glass Ø36 cm - P13 cm - H36 cm

LED 1 x 12,8W DIMM - 350mA - 2700 or 3000°K

CE IP20 1m



1516.1L

Ceiling lamp

Glass Ø24 cm - H11 cm

LED 1 x 17,4W DIMM - 500mA - 2700 or 3000°K

CE IP20 1m

FOLD / 2



GIG1516.1L

Ceiling lamp

Glass Ø36 cm - H13 cm

LED 1 x 17,4W DIMM - 500mA - 2700 or 3000°K

CE IP20 1m



1513.1L

Hanging lamp

Glass Ø24 cm - Cable 150 cm

LED 1 x 17,4W DIMM - 500mA - 2700 or 3000°K

CE IP20 1m



GIG1513.1L

Hanging lamp

Glass Ø36 cm - Cable 150 cm

LED 1 x 17,4W DIMM - 500mA - 2700 or 3000°K

CE IP20 1m

Cangini e Tucci SRL | Via Archimede 36, Cesena (FC) 47521, Italia | Tel. +39 0547.303035 | info@canginietucci.com | www.canginietucci.com



1517.120.3L

Ceiling track

Glass 3x Ø24 - Cable 150 cm

LED 3 x 17,4W DIMM - 500mA - 2700 or 3000°K

CE IP20 1m



LUGIG1515.1L

Floor lamp

Floor lamp Ø36 - H max 185 cm

LED 1 x 17,4W DIMM - 500mA - 2700 or 3000°K

CE IP20 1m

Cangini e Tucci SRL | Via Archimede 36, Cesena (FC) 47521, Italia | Tel. +39 0547.303035 | info@canginietucci.com | www.canginietucci.com